



(1) **Conformity Statement**

- (2) Equipment or protective system intended for use in potentially explosive atmospheres - **Directive 2014/34/EU**
- (3) Certificate number: **SEV 12 ATEX 0113 X**
- (4) Product: High-pressure valves  
Type 910.xxxx-x, 915.xxxx.x, 810.xxxx-x, 919.xxxx-x
- (5) Manufacturer: SITEC-Sieber Engineering AG
- (6) Address: Aschbach 7, 8124 Maur, Switzerland
- (7) This product and any acceptable variation thereto are specified in the schedule to this certificate and the documents therein referred to.
- (8) Eurofins certifies that this product has been found to comply with the essential health and safety requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to Directive 2014/34/EU of the European parliament and of the Council, dated 26 February 2014.  
The examination and test results are recorded in confidential report no. 20CH-00066.X04
- (9) Compliance with the essential health and safety requirements has been assured by compliance with:  
**EN ISO 80079-36:2016**  
**EN ISO 80079-37:2016**
- Except in respect of those requirements listed at item 18 of the schedule.
- (10) If the sign «X» is placed after the certificate number, it indicates that the product is subjected to special conditions for safe use specified in the schedule to this certificate. The sign "U" is placed after the certificate number. It indicates that this certificate must not be mistaken for a certificate intended for an equipment or protective system. This partial certification may be used as a basis for certification of an equipment or protective system.
- (11) This Conformity Statement relates only to the design and construction of the specified product and not to specific items of product subsequently manufactured.
- (12) The marking of the product shall include the following:

 **II 2 G Ex h IIC T6 ... T1 Gb**

**Eurofins Electric & Electronic Product Testing AG**  
**Notified Body ATEX**

Martin Plüss  
Product Certification

(13)

## Appendix

(14)

**Conformity Statement no. SEV 12 ATEX 0113 X**

(15) **Description of product**

The high pressure valves type 910.xxxx-x, 915.xxxx.x, 810.xxxx-x and 919.xxxx-x serve for reliable and safe isolation of pipes and pressure vessels. The type series 910.xxxx-x, 915.xxxx.x, 810.xxxx-x and 919.xxxx-x can be operated manually, pneumatically and hydraulically.

Ratings:

Specified pressure range: up to 10'000 bar

Temperature range of medium: According to specification/values in drawing

Classification of installation and use: stationary


Ingress protection: ---

Rated ambient temperature range (°C): -20 °C to +70 °C

(16) **Specific conditions of use**

- The permitted ambient temperature is -20 °C to +70 °C
- The maximum permissible pressure and temperature range of the medium is as stated in the specification/values in the drawing of the respectively used valve and must not be exceeded.

Type key:



**Example**

Type 919.0032-LD =	Type	919.
	Pressure stage:	0 ---
	Tubing-Ø:	0 1/8 HP
	Valve model:	3 Type 3
	Type of drive:	2 Micrometering valve
	Index:	-LD Lip seal

**Temperature class explanation:**

See at special conditions of safe use.

**(17) Essential health and safety requirements**

In addition to the essential health and safety requirements (EHSRs) covered by the standards listed at item 9, the following are considered relevant to this product, and conformity is demonstrated in the report:

Clause	Subject
None	

**(18) Drawings and documents**

Number	Sheet	Issue date	Description
See Test Report "Manufacturer's Documents"			